

LED CANDLE

WQJ+14650

LED source LED CANDLE 6 W with E-14 base and in the shape of a glass 'candle'. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. It shines with a very warm light (1800K), which promotes relaxation and rest, making the illuminated room cosier. Wide beam angle 300° ensures even illumination of the room.



Power	6 W	Voltage	230 V
Luminous flux**	540 lm (360°)	Colour temperature	1800 K
Colour of light	WW	Beam angle	300 °
Socket	E14	Degree of protection (IP)	IP20

Technical data

Code	WOJ+14650
Power	6 W
Nominal current	36 mA
Voltage	230 V
Energy consumption	6 kWh/1000h
Frequency	50HZ Hz
Power factor	0.65
Useful luminous flux*	540 lm (360°)
Luminous flux**	540 lm (360°)
Lamp efficacy	90 lm/W
Colour temperature	1800 K
Colour of light	WW
Beam angle	300 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	+40/-20 °
Lifespan	17000 h
Socket	E14
Degree of protection (IP)	IP20
Dimension (AxBxC)	35x98 mm
Made in	PRC

Related documents



 Declaration of Conformity

