


NYMPHEA BLACK & WHITE CCT

SLI031034CCT_PW

LED luminaire NYMPHEA BLACK & WHITE CCT with the possibility of changing the light color (CCT), with a power of 18 W, high light efficacy 130 lm/W. Thanks to the ability to change the color temperature (CCT) in the range 3000/4000/6000K, we can adjust the light color depending on our needs and preferences. It has a high IP54 rating, making it ideal for use in rooms with high humidity. Designed for surface mounting. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.

CCT**IP54**


Power	18 W	Voltage	230 V
Luminous flux*	2350 lm (360°)	Colour temperature	3000 / 4000 / 6000 K
Colour of light	CCT	Beam angle	115 °
Degree of protection (IP)	IP54		

Technical data

Code	SLI031034CCT_PW
Power	18 W
Nominal current	135 mA
Voltage	230 V
Energy consumption	18 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.6
Useful luminous flux*	2350 lm (360°)
Luminous flux**	1440 lm (360°)
Lamp efficacy	130 lm/W
Colour temperature	3000 / 4000 / 6000 K
Colour of light	CCT
Beam angle	115 °
RA	>80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Lifespan	17000 h
Housing material	Plastic
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	250x52 mm
For use	Inside
Assembly method	On the ceiling
Application	Inside
Made in	PRC
Other	Light color change function 3000K / 4000K / 6000K ,

Logistics data

Bulk packaging	20 pcs.
Quantity per pallet	200 pcs.
Gross weight (1 pcs.)	0.402 kg



Related documents

 User manual Declaration of Conformity

