

LIMEA SELECT

SLI030011CCT_PW

LIMEA SELECT HERMETIC 1200MM 36W 3CCT 230V 120DEG IP65 36×46×1200MM WHITE



Power	36 W	Voltage	230 V
Luminous flux*	4300 lm (360°)	Colour temperature	3000/4000/6000 K
Colour of light	CCT	Beam angle	120 °
Degree of protection (IP)	IP65		

Technical data

Code	SLI030011CCT_PW
Power	36 W
Nominal current	160 mA
Voltage	230 V
Energy consumption	36 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power factor	0.970000
Useful luminous flux*	4300 lm (360°)
Luminous flux	3600 lm (360°)
Lamp efficacy	120 lm/W
Colour temperature	3000/4000/6000 K
Colour of light	CCT
Beam angle	120 °
RA	80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Housing material	PLASTIC
Degree of protection (IP)	IP65
Colour	White
Dimension (AxBxC)	1200x46x32 mm
For use	Inside/Outside
Assembly method	On the ceiling, Suspended
Application	INT/EXT
Certified by the National Institute of Hygiene	Yes
Made in	PRC
Other	Light color change function 3000K/4000K/6000K ,

Logistics data

Bulk packaging	30 pcs.
Quantity per pallet	480 pcs.
Gross weight (1 pcs.)	0.37 kg

*applies to the LED source used

Related documents



User manual



Declaration of Conformity

