Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: Wojnarowscy, Gospodarcza 16 40-432 Katowice Poland

Model identifier: WOJ+22382_18W

_	•			
Typa	Λt	liaht	sourc	Δ.
IVDE	OI.	IIGIIL	3 Uui C	c.

Product parameters					
Anti-glare shield:	No	Dimmable:	No		
High luminance light source:	No				
Colour-tuneable light source:	No	Envelope:	-		
Mains or non-mains:	MLS	Connected light source (CLS):	No		
(or other electric interface)					
Light source cap-type	G13				
Lighting technology used:	LED	Non-directional or directional:	NDLS		

Product parameters

Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consur mode (kWh/10 up to the neare	00 h), rounded	18	Energy efficiency class	D		
dicating if it refe a sphere (360º)	s flux (фuse), ineers to the flux in, in a wide cone arrow cone (90º)	2 600 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000		
On-mode power (P _{on}), expressed in W		18,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	82		
Outer dimen- sions without	Height Width	1 200 28	Spectral power distribution in the	See image in last page		
separate con- trol gear, light- ing control	Depth	28	range 250 nm to 800 nm, at full-load	iii iust puge		

	1					
parts and non-						
lighting con-						
trol parts, if						
' '						
tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent	-			
·		power (W)				
		Chromaticity coordi-	0,383			
		· .	·			
		nates (x and y)	0,380			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	17	Survival factor	0,90			
the lumen maintenance factor	0,96					
Parameters for LED and OLED m	Parameters for LED and OLED mains light sources:					
displacement factor (cos φ1)	0,97	Colour consistency	5			
	,	in McAdam ellipses				
Claims that an LED light source	_(b)	If yes then replace-	-			
replaces a fluorescent light		ment claim (W)				
		mene ciann (vv)				
source without integrated bal-						
last of a particular wattage.						
Flicker metric (Pst LM)	0,3	Stroboscopic effect	0,1			
, , ,	,	metric (SVM)	•			

(a)'-': not applicable; (b)'-': not applicable;

