

Item number: 1235012

Instruction manual

LED emergency exit light McShine „FL-511“

NE

for wall mounting, 27 LEDs with approx. 400 lumen



TECHNICAL DETAILS

Operating voltage:	220 – 240
Light colour:	daylight white
Colour temperature:	6000 – 6500 K
Detection range:	25 m
Protection class:	IP65
Lighting technology:	LED
Width:	350 mm
Height:	110 mm
Depth:	55 mm
Complies with:	EN60598-2-22 EN61347-2-8 EN55015 EN61547 EN61000
Operating modes:	Continuous operation or standby mode
Emergency power supply:	max. 3 h
Rechargeable battery:	3,6 V / 1500 mAh / NiMH

SAFETY INSTRUCTIONS

- Check the device for damages before putting it into operation. If it is damaged, do not use the device.
- The fuse must be turned off for the area before installation.
- When working with 230 V, please strictly adhere to accident prevention regulations.
- Do not short-circuit the connections and circuits.
- Installation must only be carried out by qualified personnel.
- Please note that any technical modifications to the device will immediately void its certification.
- Keep the device's instruction manual.
- Do not look directly into the light source to avoid eye injury.
- Do not drop the device. It could be damaged upon impact on a hard surface.
- Do not leave packaging materials lying around carelessly. Plastic films/bags, Styrofoam parts, etc., can become dangerous toys for children.
- The device is not intended for children and is not a toy!

Safety instructions Batteries

- Do not attempt to revive batteries/accumulators by heating or similar means.
- Do not immerse batteries/accumulators in water and store them in a dry, cool place, not a humid one.
- Do not throw batteries/accumulators into fire, open, weld, or solder them yourself.
- Do not short-circuit batteries/accumulators.

CARE INSTRUCTIONS

- Do not use damaged cables. New cables must have the same specifications as the original.
- Clean only with a soft cloth and neutral cleaning agent.
- Avoid using alcohol or cleaners containing acetone, sulfur, beryllium, ammonia, or other solvents.
- Avoid mechanical pressure and heavy contamination.
- Lamp replacement can only be provided by the manufacturer.

INTENDED USE

- The product has a protection class of IP20 and is suitable for indoor use.
- The product is intended only for use as a permanently installed emergency exit light and must only be used for the intended purpose as specified in this manual!

GENERAL NOTES

- Use only original parts supplied.
- The product has no replaceable parts.
- Do not attempt to open or repair the product.

DISPOSAL INSTRUCTIONS

By separating materials, recycling and disposing of old equipment in this way, you are making an important contribution to protecting our environment. Packaging can be returned to appropriate collection points for free.

WEEE disposal note

According to the European WEEE Directive, electrical and electronic WEEE Directive, electrical and electronic equipment must not be disposed of with household waste. Their components must be recycled or disposed of separately, because toxic and hazardous components can cause lasting damage to health and the environment if disposed of improperly.

As a consumer, you are obliged under the Electrical and Electronic Equipment Act (ElektroG) to return electrical and electronic equipment free of charge at the end of its service life to the manufacturer, the point of sale or to public collection points set up for this purpose.

Details are regulated by the respective state law.

The symbol of the wheeled garbage can on the product, the operating instructions and/or the packaging refers to these regulations.

Battery disposal note

Batteries and rechargeable batteries must not be disposed of with household waste. Every consumer is required by law to take all batteries and rechargeable batteries, whether they contain harmful substances or not, to a collection point in his or her community/district or to a retailer so that they can be disposed of in an environmentally friendly manner. Please return batteries and rechargeable batteries only when discharged.

COMMISSIONING, ASSEMBLY, AND INSTALLATION

- The installation of the light fixture must be carried out by an electrician or a person trained in electrical work according to national installation regulations.
- Turn off the power supply before installing the light fixture.
- Perform the installation as described in the accompanying images.
- There is a jumper on the circuit board that can be used to set the operating mode.
- If the jumper is in place, the light is in continuous operation.
- If the jumper is not in place, the light is in standby mode.

Item number: 1235012

NE

