

Item number: 1452334

Instruction manual

LED recessed light  
McShine „EL-500“

5 W, 400 lm, IP44, Ø85x30 mm, 4000 K



TECHNICAL DETAILS

Operating voltage:	230 V
Light color:	neutral white
Color temperature:	3700 K
Absorbed power:	5 W
Lifetime:	25000 h
Illumination technology:	LED
Outer diameter:	85 mm
height:	30 mm
Energy efficiency class:	This product contains a light source of Energy efficiency class F.
Dimmable:	no
Protection class:	IP44
Swivelling:	Yes

## DISPOSAL INSTRUCTIONS

By separating materials, recycling and disposing of old equipment in this way, you are making an important contribution to protecting our environment.

Packaging can be returned to appropriate collection points for free.

### WEEE disposal note

According to the European WEEE Directive, electrical and electronic WEEE Directive, electrical and electronic equipment must not be disposed of with household waste. Their components must be recycled or disposed of separately, because toxic and hazardous components can cause lasting damage to health and the environment if disposed of improperly.

As a consumer, you are obliged under the Electrical and Electronic Equipment Act (ElektroG) to return electrical and electronic equipment free of charge at the end of its service life to the manufacturer, the point of sale or to public collection points set up for this purpose.

Details are regulated by the respective state law.

The symbol of the wheeled garbage can on the product, the operating instructions and/or the packaging refers to these regulations.

## INTENDED USE

- The product has a protection class of IP44 and is suitable for use in damp rooms.
- The product should only be used for its intended purpose, as specified in this user manual!

## CARE INSTRUCTIONS

- Do not use damaged cables.
- Clean only with a soft cloth and a neutral cleaner.
- Avoid using alcohol or cleaners that contain acetone, sulfur, beryllium, ammonia, or other solvents.
- Avoid mechanical pressure and heavy contamination.
- Lamp replacement can only be provided by the manufacturer.

## SAFETY INSTRUCTIONS

- Before commissioning, check the device for damage. If this is the case, please do not put the device into operation.
- Please note that the approval of the device expires immediately if technical modifications are made to the device!
- Keep the operating instructions of the device
- When working on 230 V, please observe strict compliance with the accident prevention regulations.
- Do not short-circuit the connections and the circuits.
- Installation may only be carried out by qualified personnel. Due to the heat generated by the light, do not cover the spotlight or touch the housing during operation.
- Please do not look directly into the light source to avoid eye injury.
- Do not drop the device. It could be damaged if it hits a hard surface.
- Avoid installation in places with strong temperature differences or high humidity.
- Do not leave the packaging material carelessly, plastic foils/ bags, polystyrene parts, etc., could become a dangerous toy for children.
- The device does not belong in children's hands, it is not a children's toy!

## ASSEMBLY INSTRUCTIONS

- For connecting the power cable, the supplied terminal strip should be used.
- Wire ends must be crimped with a cable lug to prevent loose wire ends from protruding.
- Terminals with double insulation and cable anchoring do not need to be fixed.
- Please connect the product's power cable to the mains power cable by following these rules:
  - L to L
  - N to N
  - Green-yellow (ground) should be insulated.



**DE:** Eine mehrsprachige Version dieser Anleitung und die Konformitätserklärung finden Sie unter folgendem Link:

**EN:** A multilingual version of this manual and the Declaration of Conformity can be found at the following link:

**FR:** Vous trouverez une version multilingue de ce manuel et la déclaration de conformité sur le lien suivant:

**ES:** Encontrará una versión multilingüe de estas instrucciones y de la declaración de conformidad en el siguiente enlace:

<http://ettgroup.de/product/1452334>

Item number: 1452334

NE

